


Carts


---

## MOBILE STAINLESS STEEL AND HANDLING CARTS




- Mobile stainless steel tables may have 1, 2 or 3 shelves, which may be solid or perforated.
- They have a load capacity of 50 kg/shelf. The tables are fitted with four casters, which are:


- a) Swivel or fixed
- b) Sliding or bearing-operated
- c) with or without brake (all casters or just two of them may be braked)




Mobile cart with one shelf



Mobile cart with two shelves



Handling cart with one shelf



Handling cart with two shelves

## TECHNICAL DATA

### Mobile table or cart

Stainless steel cart

### Width

| width   | value         |
|---------|---------------|
| 900 mm  | Width of cart |
| 1000 mm | Width of cart |
| 1100 mm | Width of cart |

### Depth

| value         | depth   |
|---------------|---------|
| Depth of cart | 500 mm  |
| Depth of cart | 700 mm  |
| Depth of cart | 900 mm  |
| Depth of cart | 1100 mm |

### Height

| height | value  |
|--------|--------|
| 900 mm | Height |

### Shelf type

Smooth

### Number of shelves

Number of shelves  
Number of shelves

### Caster diameter

Caster diameter  
Caster diameter

### Type of casters

non-conductive wheels  
Conductive for external areas

| Brake                           |
|---------------------------------|
| <b>Number of braked casters</b> |
| Number of braked casters        |

| Cart material         |                          |
|-----------------------|--------------------------|
| value                 | Material                 |
| Cart material for GMP | Stainless steel AISI 304 |
| Cart material for GMP | Stainless steel AISI 316 |

## MORE INFORMATION, PHOTOS

